



Our Range of **PRODUCTS**



















THE HEAVEN
METALLIC SHEET

MARKETED BY:

RADHE KRISHNA DECOR MUMBAI.

•radhekrishnadecor.bs@gmail.com @radhe_krishnadecor



We have always had the desire to dream, But, more importantly, We have the ability, Which is why we have designed a collection that will extend exclusive comfort, It's valuable craftsmanship, It's rich material sand its attention ro detail to the world of laminates. A collection of dreams that live in reality.

















KITCHEN

FURNITURE

BATHROOM

COMMERCIAL

HEALTHCARE

RESTAURANTS





"Marble collection a passion for small colorful spheres, each a unique treasure reflection craftsmanship and nostalgic charm"


































































Simplicity is the ultimate sophistication.






























Exceptional











































Aesthetic









The details are not the **details**.
They make the **design**

LS - 416





























































LS - 401

LS - 402

LS - 403




































LS - 406

LS - 407



Timeles

MARBLE





































To create, one must first **question** everything.

Legsinder®
100% VIRGIN ACRYLIC

1.5mm
THICKNESS

6 HANTISCRATCH



LS - 409







Impalpable

WOODEN









































VNR - 08

VNR - 09

VNR - 10



WOODEN

































A building has **integrity** just like a man. And just as **seldom**.

Legsinder_®
100% VIRGIN ACRYLIC

1.5_{mm}
THICKNESS

6 HANTISCRATCH

VNR - 11

VNR - 12



Justified

WOODEN







































We shape our **buildings**, thereafter, they **shape** us.



22



WOODEN











































We shape our **buildings**, thereafter, they **shape** us.

VNR - 15

VNR - 16







SOLID COLOURS






























LS - 201








































LS - 203









LS - 206





Sumptuous

SOLID COLOURS





























LS - 210




1.5mm GHANTISCRATCH Leginder® 100% VIRGIN ACRYLIC











LS - 211

LS - 212



LS - 213 LS - 214
































LS - 215



SOLID COLOURS



































LS - 217









LS - 220

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours



SOLID COLOURS Sh ANTI SCRATCH YELLOW 1007, PURE ACRYLIC BORER FREE WIDE WATER PROOF WEIGHT



































1.5mm 6 HANTISCRATCH Leginder® 100% VIRGIN ACRYLIC

LS - 223






















































Glamorous










1.5mm G L ANTISCRATCH

LS - 226



LS - 228



SOLID COLOURS







































LS - 231





LS - 234





SOLID COLOURS

































LS - 235



LS - 236



There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations. Actual colours of the laminates sheet may vary from this brochure.







Marvelous

SOLID COLOURS



























LS - 239



1.5mm 6 HANTISCRATCH

A building has integrity just like a man. And just as seldom.

Leasinder®
100% VIRGIN ACRYLIC





SPARKLE































SPARKLE



































Glamorous




















Leasinder_®
100% VIRGIN ACRYLIC

LS - 311

LS - 312

LS - 313







LS - 314







METALIC





















GOLDEN 6H

GREY 6H





1.5mm GHANTISCRATCH LEGSINGER®
100% VIRGIN ACRYLIC



BRONZE 6H







MATT










































SM - 07



SM - 09



MATT





























1.5mm G - ANTISCRATCH

A building has integrity just like a man.
And just as Seldom.

Leasinder®
100% VIRGIN ACRYLIC

SM -11



MATT




























Achieve













0















69









Legsinder®
100% VIRGIN ACRYLIC



1.5mm GHANTISCRATCH



EDGE BANDING










LS - 225

















LS - 221





LS - 304

Selecting the right design style is the first step when it comes to inorporating the aesthetic and technical elements that will make up the overall interior design of your home. With a specific design style in mind, you will have a visual picture of what your home interior would look...





APPLICATION

Available in Size

2440mm X 1220mm (8ft X 4ft)

Thickness: same as sample use in brochure





Kitchen



eated with a special lacquer coating the surface, our 6th anti scratch rylic laminates can bear daily wear &



Low porosity low water absorption.



Furniture

Bathroom



Anti-Yellow UV Resistance.



For ease of use and Effortless installation, our Range of laminates have been developed in A way to keep them extremely light weight. LIGHT WEIGHT





100% Pure Acrylic Sheet



Our Anti Scratch Acrylic Laminates are Extremely study and Durable. The can with stand heavy loads



Commercial

Healthcare

Restaurants



Our laminate are specially treated to ensure they remain termite and borer free for several years.



The laminate of the product lasts for years without fading or loss of gloss, maintaining color fastness



Lots of Range and Huge Collection.



REASONS FOR AIR BUBBLE FORMATIONS ON ACRYLIC SHEETS



To avoid de lamination / air bubbles in between ply and laminate the above steps should be taken care of.

Bonding of acrylic sheets shouldn't be completed under high humidity



Acrylic are bonded in extremely humid conditions



Debonding in certain areas because of uneven substrate surface



Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)



Insufficient or lack of pressing during the bonding period of laminate



When substrate loses moisture after installation



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 ft long)

DISCLAIMER

Do not use plywood with high moisture content, Do not use ply with uneven surface, Avoid using inferior quality adhesive,

Apply sufficient pressure We do not recommend pasting of sheets on the printed/branding area of the plywood

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.

Actual colours of the laminates sheet may vary from this brochure.

DO'S & DONT'S

- 1. Store the laminates below 30°C temperature. To avoid the inside cracks & stretch line, do not store acrylic sheet in roll form.
- 2. Clean the surface of laminate with water and clean, non-abrasive cloth. We recommend cleaning with COLIN glass cleaner and soft Micro fibre cloth.
- 3. Glossy surfaces recommended to use in vertical applications.
- 4. Do not use alcohol based cleaners, solvent, petrol or oil as these may damage the surface of the laminate. Do not use cloth other than micro fibre.
- 5. Do not use thinner on the surface of SASSY laminates.
- 6. Do not place hot cookware directly on the laminate as the exposure to temperatures above 30°C may cause damage to the laminate surface.
- 7. Outdoor application of the laminate with exposure to direct sunlight and weather conditions are strict not recommended. UV rays may de-shape the laminate.








High Gloss Laminate Mica **Lasinder Acrylic PU** Coating / **Parameters Back Painted Glass** Laminate **Duco Paint** Gloss Level >90 >70 >85 >85 Scratch Proof 6H Antisractch No No Color Consistency Excellent Not Good Not Good Not Good Orange Peel No Yes Yes **UV** Resistance Excellent Bad Bad Bad Water Resistance Excellent Bad Bad Excellent DRY Heat Resistance Bad Excellent Good Bad Volatile Organic Compounds (VOCs) Yes





PANEL STRUCTURE



6H Antiscratch Coating

Acrylic Layer
Glue Line
PVC Based Film Layer
Primer Coating



LIMITED WARRANTY

LEASINDER Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. we recommend customers to insect properly before installing. LEASINDER warranty in on way covers defects and non-compliance from or otherwise attributable ti any other causes, including without limitation the following:

- Improper handling/transportation / storage of LEASINDER
- Improper installation of LEASINDER
- Improper or unintended usage of LEASINDER
- Lack of or improper maintenance of LEASINDER Exposure to high temperatures
- Exposure to high temperature

- Unauthorized alteration to the products Outdoor applications
- There will be no guarantee or exchange under any circumstances
- Color variations in products from different batches are possible
 We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.